



CUSTOM MADE COVERS PROCESS

In order to make a cover from a distance we will not be able to proceed without an **actual photo of the actual item being covered.**

If you are not able to supply a photo we are unfortunately not able to make a cover for you. Even if you provide a diagram with measurements you have taken we will still require a photo and may still ask you for some specific measurements that we need even if you have supplied measurements to us.

We are not able to use images from manufacturers websites and we cannot look for an image for you for the item you wish to cover as we do not want to find the wrong image as we would then be liable for order errors.

Once you have confirmed that you would like to proceed with a cover and have made payment we will then request the specific measurements that we require. When they have been provided your order will then be submitted for manufacturing. From time to time after checking your photo and your measurements at the point of cutting the pattern / fabric we find that some measurements don't seem to be working out. This does happen from time to time which is the nature of working from photos and measurements rather than actually physically measuring the item ourselves.

When you provide the measurements please provide the actual dimensions do not add anything to the length and the width. We will add some excess to the dimensions the cover when sewn will be approximately 50mm bigger in length and width than the measurements you have provided.

With regard to the cover height let us know if you want the cover to go all the way to the ground and touch the ground or not. If you do not want the cover to touch the ground we will take off 50-80mm off of the finished cover height compared to your actual to the ground height supplied.

We will confirm the final measurements that have been agreed by our pattern maker and you before a cover is made.

Thank you for your order and we hope you can understand the reason why we need to see an actual photo which is ultimately for your benefit in order to make the cover correctly.

Coverworld are not responsible for incorrectly supplied dimensions after the order is confirmed and in for manufacturing.

CUSTOM MADE COVERS PROCESS

If you are able to submit a photo when making your enquiry it will make the order process much easier and quicker as if you accept the quote then we can easily mark your photo to advise the measurements we require for a custom made cover.

1

Request a Quote

If the item to be covered is a simple shape such as rectangle, square etc then we only need the actual measurements of Length, Width and Height



Submitting a photo with your quote request is best, especially if shaping is required

2

Quotation Acceptance

On acceptance of your quotation we will require a 50% deposit or payment in full before we send back our measurement requirements



Check confirmed Measurements with your Order Confirmation

3

Measurements Required

We will require a photo so that we can confirm the measurements we require if you have not sent one yet we need one to confirm the job



Order cannot proceed without a photo

4

Pattern Making, Sewing and Fit

For all covers extra size is added to the dimensions provided the cover needs to have some excess so that it can fit on, covers are not skin tight



Once the cover is made with the excess allowance alterations can be costly please double check everything before the manufacturing commences

5

Lead Time


Lead time estimate is advised at time of order between 2 to 6 weeks normally




In some instances lead time may be increased which can depend on many factors this is not normal and we will contact you if the lead time is considerably longer than we estimated on order confirmation

PATTERN DESIGN AND COVER SHAPING

Covers are made following a simple method of either an up and over cover design with sewn on sides or a cover top with a skirt around it



Example above shows up and over material with sewn on sides



Example above shows a top with skirt around the top

The pattern cutting and sewing method is determined by the fabric being used and the item being covered at the discretion of the pattern maker. All items are made with the least amount of seams. All covers are made slightly wider than the actual item dimensions.

Where possible after cover fitting you should provide a lift point on the cover to prevent water from pooling on the cover, water pooling can penetrate the fabric over the material surface layer it can also diminish the fabric lifespan.

It is always possible for water to penetrate stitched seams are the covers are sewn and are not electro welded